



NOTE:
 1. ALL WALLS TO BE 2x4 W/ 8" STUDS UNLESS NOTED OTHERWISE.
 2. HALLWAY REVER 8 1/4" MIN. TREAD 9 1/2" MIN. NOSING.
 3. STAIR HANDRAILS ARE TO BE 3 1/2" ABOVE TREAD NOSING W/ BALLUSTERS SPACED 50" ON CENTER.
 4. ALL STAIRS TO BE 36" TREAD, 6" MIN. CROSS SECTION WITH AN OUTSIDE DIAMETER OF AT LEAST 1 1/4" AND NOT GREATER THAN 2 3/8" OR EQUIVALENT.
 5. PROVIDE 1" LEADSPAC OF 90° FROM TREAD NOSE TO ANY OBSTRUCTION ABOVE.
 6. ALL SMOKE DETECTORS ARE TO BE INTERCONNECTED W/ BATTERY BACKUP.
 7. PROVIDE 2'x30" ATTIC ACCESS PANEL IN CEILING AS REQUIRED/DAS SHOWN ON DWGS.

1 SECOND FLOOR PLAN
 A-2 1/4" = 1'-0"

NO.	DATE	REVISIONS

DESIGNED SEAL	JG
DRAWN BY	RP
CHECKED	JG
APPROVED	JOSEPH GARRAMONE, R.A.
JG	N.J. AI 08919

DATE	3/16/07	SHEET NO.	A-2
PROJ. NO.	0701		
SCALE	AS NOTED		

PROPOSED SINGLE FAMILY RESIDENCE
 FOR
M. W. MITCHELL, INC.
 108 E. RAMBLER ROAD WILDWOOD CREST, N.J.

GARRAMONE ARCHITECTS, LLC
 ARCHITECTS / PLANNERS

51 GASKO ROAD
 MAYS LANDING, NJ 08330
 (609) 476-2977
 (609) 476-4425 (FAX)

